

The Brihan Mumbai Electric Supply & Transport Undertaking

(OF THE BRIHAN MUMBAI MAHANAGARPALIKA)

TELEPHONE : (022) 22856262
FAX : (022) 22851244
TELEX : 1185755 BEST IN
TELEGRAM : BEST, MUMBAI-400 001.

BEST BHAVAN,
BEST MARG,
POST BOX NO. 192.
MUMBAI - 400 001.

ADDRESS ALL COMMUNICATION BY TITLE
NOT BY NAME

OUR REF. : BEST/CCA/SMR/20250401/001

DATE : 11/04/2025

NOTICE / INTIMATION

To,

Officer Bearers / Members / All Consumers

Service No.:259072-X-X

Address : Punita, Colaba Fire Station, Shahid Bhagat Singh Road, Colaba, Pin:400005

Sub:-Disconnection under section 163 of the Indian Electricity Act 2003.

Dear Managing Committee / Office Bearers / All Consumers ,


In Reference to our permission letter dated 07.04.2025, confirmation date for meter replacement is still awaited even after multiple follow up from your society. In light of the above, we kindly request that you allow access to the service cabin to complete the planned meter replacement activity on the below mentioned scheduled date.

Replacement Date : 18.04.2025

As per clause no. 163(3) of Indian Electricity Act 2003, "Where a consumer refuses to allow a licensee or any person authorized as aforesaid to enter his premises or land in pursuance of the provisions of subsection (1) or, sub-section (2), when such licensee or person has so entered, refuses to allow him to perform any act which he is authorized by those subsections to perform, or fails to give reasonable facilities for such entry or performance, the licensee may, after the expiry of 24 hours from the service of a notice in writing on the consumer, cut off the supply to the consumer for so long as such refusal or failure continues, but for no longer".

In accordance with the aforementioned clause, if suitable access for meter replacement is denied on 18.04.2025 the supply to the premises will be discontinued on 18.04.2025.

Yours Faithfully,


BEST Undertaking
Divisional Engineer
Customer Care



"BEST Travel Saves Fuel"



Scanned with OKEN Scanner